

L Number	Hits	Search Text	DB	Time stamp
1	0	populat\$3 with records with non-registered	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:46
2	203	non-registered near2 user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:46
3	0	(non-registered near2 user) same (access near2 account)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:47
4	13	(non-registered near2 user) same account	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:57
5	4308	encode\$1 near2 voice	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:58
6	0	(encode\$1 near2 voice) and (decocoded near2 voice)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:58
7	0	(encode\$1 near2 voice) and (decocoded)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:58
8	451	(encode\$1 near2 voice) and (decoded near2 voice)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:58
9	309	(encode\$1 near2 voice) and (decoded near2 voice)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:05
10	0	(populate with records with (non-registred near2 user))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:06
11	0	(display\$ with records with (non-registred near2 user))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:07
12	0	(display\$ with records) same (non-registred near2 user)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:07
13	0	record with (non-registred near2 user)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:09
14	0	record with (non-registred near2 customer)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:08
15	0	record with (non-registred near2 individual)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:08

16	0	non-registereD near2 individual	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/29 11:08
17	4	record with (non-registered near2 user)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/29 11:13
18	0	transmit\$ with account with (non-registered near2 user)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/29 11:13
19	0	account with (non-registered near2 user)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/29 11:13
20	1	account same (non-registered near2 user)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/29 11:15
21	0	populate with record with (non-registered near2 user)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/29 11:16
22	0	populate with record with non-registered	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/29 11:16
23	4	display\$ with record with non-registered	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/29 11:19
24	4	automatically with (create near2 account)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/29 11:54
26	148	populat\$ near2 records	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/29 11:54
27	0	(populat\$ near2 records) and (automatically near2 receiv\$ with record)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/29 11:55
28	1	(populat\$ near2 records) and (automatically with receiv\$ with record)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/29 11:55
25	66	populate with records	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/29 11:56
29	2	populate with (user near2 records)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/29 11:56
30	2	5664109.pn.	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/29 11:58
31	2	5664109.pn. and automatically	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/29 12:30
32	3	automatically same manually same (map\$4 with records)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/29 12:32

33	18	automatically with (map\$4 with records)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:33
34	0	(automatically with (map\$4 with records)) and (manually with map\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:14
35	0	6144959.pn. and web	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:15
36	0	6144959.pn. and page	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:15
37	0	6269369.pn. and page	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:15
38	1	6269369.pn. and web	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:18
39	11443	Lee and web	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:18
40	2	6269369.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:57



Web Images Groups News Froogle more »

registration database and user accounts

Search

Advanced Search
Preferences

The "AND" operator is unnecessary – we include all search terms by default. [details]

Web

Results 1 - 10 of about 1,110,000 for **registration database and user accounts**. (0.85 seconds)

Authentication Database

... accounts are stored separately from either the Windows NT or 2000 user database, or any external database, in a proprietary database in the Windows registry. ...

www.ipswitch.com/.../guides/v103/IMServer/

WebHelp/User_s_Guide/Security/Authentication_Database.htm - 20k - Cached - Similar pages

Sponsored Links

Event Registration Online

Free service allows you to publish and accept payment in 15 minutes
www.mollyguard.com

Database Programmer Tools

Fast database, free distribution, free source, low overhead, secure
www.codebase.com

Database

Articles & Information about Database
BambooWeb.com

[See your message here...](#)

Furry Database - User Account Administration

... Administration - Admin Requests - Admin Accounts - Database Stats. This is a user form for managing a registered account on the Furry Database. ...

www.firebaseio.net/usradm.shtml - 6k - Cached - Similar pages

CambridgeSoft User Account System

... be cookie-enabled in order to use sites associated with our User Account System. ... Help Department Register with Us | Request Literature & Demo CD | Manage Your ...

<https://accounts.cambridgesoft.com/> - 13k - Cached - Similar pages

Dept. of Public Safety - TX DPS Records Database

... Convictions and Sex Offender Registration Database Updates: Click here for database ... Access to the Conviction Database requires you to use a user account. ...
records.txdps.state.tx.us/ - 15k - Aug 4, 2004 - Cached - Similar pages

Account management programs

... account requests from registration data create_demo_accts ... maintains CUPID database destroy_demo_accts - removes ... misowned files in user homes FixInactiveAccts ...

pubpages.unh.edu/~sysman/sysadmin/acctmgtprogs.html - 8k - Cached - Similar pages

Can I add user accounts from a database?

... Can I add user accounts from a database ... kit, ADDUSERS.EXE, that as an input excepts a database file (eg ... you don't have a username & password, please register now ...

www.winnetmag.com/Article/ArticleID/15052/15052.html - Similar pages

Installing and configuring the self-registration feature

... access schema is in the same database instance as ... In the Self-Registration Options section, select Enable ... after they create their own user account using the ...
12.46.245.173/help/sbsregin.htm - 10k - Cached - Similar pages

SIMBAD access control

... User access to SIMBAD is sponsored by several national and international agencies from ... that the charges related to the use of the SIMBAD database by European ...
cdsweb.u-strasbg.fr/simbad/userid.html - 6k - Cached - Similar pages

Eastern Studies Database - User Account Registration

... User Name: Password: I am having sign-in problems. If you do not have a user account, please register for one. Registration is free. ...
www.easternstudiesdatabase.com/login.cfm - 6k - Cached - Similar pages

Emergency Beacon Registration Database Account Login Page


Account Login Information Note: * Indicates a required field. Please enter your user NAME and password below ... to access to Beacon Registration Database System. ...
<https://beaconregistration.noaa.gov/radb/login.jsp> - 4k - Aug 4, 2004 - Cached - Similar pages

Best Available Copy

Gooooooooogle ➤

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

Best Available Copy